NSN 5950-00-645-1638



Power Transformer - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5950-00-645-1638
Reliability Indicator:
Not established
Overall Length:
4.969 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.438 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.250 inches single mounting facility single center group
Overall Height:
6.625 inches
Overall Width:
4.469 inches
Frequency Rating:
50.0 hertz single component or 60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure single component
Body Height:
6.000 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Thready Oty Pay Inch (toi)

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.190 inches single group

Winding Operating Current:

414.0 milliamperes ac single component single secondary

Winding Operating Voltage:

1.24 ac kilovolts single component single secondary

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

5 standoff insulator

Shelf Life:

N/a

NSN 5950-00-645-1638Power Transformer - Page 2 of 2



	Of			

Demilitarization:

No

Fiig:

A058b0