# NSN 5950-00-645-1803

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-645-1803

#### **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

3.750 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

3.125 inches single mounting facility single center group

#### **Frequency Rating:**

60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

**Body Length:** 

4.500 inches

Body Width:

4.000 inches

Body Height:

3.875 inches

# End Application:

Moored training ship; submarine antenna; submarine interior communication system; submarine engineering and diesel systems;

submarine communications and antenna systems; los angeles ssn (688); seawolf ssn; mars t-afs 1; sturgeon ssn (637)

# Inclosure Type:

Open

## **Mounting Facility Quantity:**

4 single group

#### Mounting Method:

Flange single group and unthreaded hole single group

## Winding Function And Quantity:

1 primary single component and 2 secondary single component

## Winding Operating Current:

1.3 amperes ac single component 3rd secondary

## Criticality Code Justification:

Feat

#### Winding Operating Voltage:

120.00 ac pounds per hour wet single component all secondary

#### **Special Features:**

Weapon system essential

## **Terminal Type And Quantity:**

6 tab, solder lug

#### Shelf Life:

N/a

#### Unit Of Measure:

---

## Demilitarization:

No

# NSN 5950-00-645-1803

Power Transformer - Page 2 of 2

**Fiig:** A058b0

