

View Online at <https://aerobasegroup.com/nsn/5950-00-645-1873>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.000 inches single mounting facility single center group

Overall Height:

5.375 inches

Mounting Hole Diameter:

0.201 inches single group

Impedance Rating In Ohms:

13000.0 single component single primary

Frequency Rating:

20.0 hertz single component and 20.0 kilohertz single component

Maximum Transformer Power Rating:

4.2 watts single component

Primary To Secondary Turn Ratio:

1 to 1-1/2 single component

Winding Shielding Method:

Internal shield grounded to inclosure and brought out to terminal single component

Body Length:

Between 3.657 inches and 3.844 inches

Body Width:

Between 3.657 inches and 3.844 inches

Body Height:

Between 4.438 inches and 4.625 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

30.0 milliamperes dc single component single primary

Terminal Type And Quantity:

7 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0