# NSN 5950-00-645-2073

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-645-2073

## **Reliability Indicator:**

Not established

### Center To Center Distance Between Mounting Facilities Parallel To Length:

8.000 inches single mounting facility single center group

### Center To Center Distance Between Mounting Facilities Parallel To Width:

3.000 inches single mounting facility single center group

#### **Overall Height:**

8.124 inches

#### **Frequency Rating:**

60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### Winding Shielding Method:

Internal shield grounded to inclosure single component

#### Body Length:

11.750 inches

# Body Width:

7.750 inches

# Maximum Operating Temp:

85.0 degrees celsius

#### Inclosure Type:

Hermetically sealed

#### **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded stud single group

#### Winding Function And Quantity:

1 primary single component and 2 secondary single component

#### Thready Qty Per Inch (tpi):

18 single group

#### Thread Size:

0.312 inches single group

#### Winding Operating Current:

43.0 amperes ac single component 2nd secondary

#### Winding Operating Voltage:

5.10 ac volts single component all secondary

#### **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

6 standoff, threaded stud

#### Shelf Life:

N/a

# NSN 5950-00-645-2073

Power Transformer - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

