## NSN 5950-00-645-2155

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-645-2155

### **Reliability Indicator:**

Not established

### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.109 inches single mounting facility single center group and 2.141 inches single mounting facility single center group

### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.734 inches single mounting facility single center group and 1.766 inches single mounting facility single center group

### **Overall Height:**

4.251 inches

### **Inductance Type:**

Fixed

### **Inductance Rating:**

105.60 millihenries single component single winding

#### Frequency Rating:

1.0 kilohertz single component

### **Body Length:**

Between 2.625 inches and 2.751 inches

### **Body Width:**

Between 2.250 inches and 2.376 inches

### **Body Height:**

Between 3.688 inches and 3.813 inches

### **Winding Quantity:**

1 single component

### Inclosure Type:

Hermetically sealed

### **Mounting Facility Quantity:**

4 single group

### **Mounting Method:**

Threaded stud single group

### **Rating Method:**

Electrical single component single winding

### **Thread Size:**

0.138 inches single group

### **Winding Operating Current:**

1.6 amperes dc single component single winding

### Dc Resistance Rating In Ohms:

10.500 single component single winding

### **Thread Series Designator:**

Unc single group

### **Terminal Type And Quantity:**

2 turret

### Shelf Life:

N/a

# NSN 5950-00-645-2155

Reactor - Page 2 of 2



	• •			
 n	1+	<i>(</i> )+	Meas	uro.

--

Demilitarization:

No

Fiig:

A058b0