NSN 5950-00-645-2178

Power Autotransformer Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-645-2178

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.875 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.375 inches single mounting facility single center group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

1.750 inches

Body Width:

1.750 inches

Body Height:

3.500 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary, fixed autotransformer type single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.138 inches single group

Winding Operating Current:

200.0 milliamperes ac single component single primary output

Winding Power Rating:

15.0 volts-amperes single component single primary input

Winding Operating Voltage:

78.00 ac volts single component single primary output

Special Features:

Two terminals common

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

3 standoff, solder lug

Shelf Life:

N/a

NSN 5950-00-645-2178

Power Autotransformer Transformer - Page 2 of 2



	• •			
 n	1+	<i>(</i>)+	Meas	uro.

--

Demilitarization:

No

Fiig:

A058b0