# NSN 5950-00-645-2178

Power Autotransformer Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-645-2178

# **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

0.875 inches single mounting facility single center group

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

0.375 inches single mounting facility single center group

#### Frequency Rating:

60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

**Body Length:** 

1.750 inches

**Body Width:** 

1.750 inches

**Body Height:** 

3.500 inches

**Inclosure Type:** 

Fully enclosed

# **Mounting Facility Quantity:**

2 single group

## **Mounting Method:**

Threaded stud single group

#### **Winding Function And Quantity:**

1 primary, fixed autotransformer type single component

## Thready Qty Per Inch (tpi):

32 single group

## **Thread Size:**

0.138 inches single group

# **Winding Operating Current:**

200.0 milliamperes ac single component single primary output

## **Winding Power Rating:**

15.0 volts-amperes single component single primary input

#### **Winding Operating Voltage:**

78.00 ac volts single component single primary output

#### **Special Features:**

Two terminals common

## **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

3 standoff, solder lug

# Shelf Life:

N/a

# NSN 5950-00-645-2178

Power Autotransformer Transformer - Page 2 of 2



	• •			
 n	1+	<i>(</i> )+	Meas	uro.

--

Demilitarization:

No

Fiig:

A058b0