NSN 5950-00-645-2932

Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-645-2932 **Reliability Indicator:** Not established **Turn Quantity:** 24 1/2 single component single primary **Mounting Hole Diameter:** 0.141 inches single group **Inductance Rating:** 50.00 microhenries single component single primary Frequency Rating: 11.5 megahertz single component and 25.0 megahertz single component **Coil Form Type:** Solid single component **Adjustment Device Drive Type:** Slotted screw single component **Body Length:** 2.000 inches **Body Outside Diameter:** 1.125 inches **Distance Between Mounting Facility Centers:** 1.125 inches single mounting facility single center group **Inclosure Type:** Open **Mounting Facility Quantity:** 2 single group **Mounting Method:** Unthreaded hole single group **Rating Method:** Winding turns single component single secondary and electrical single component single secondary **Winding Function And Quantity:** 1 primary single component and 1 secondary single component **Winding Conductor Size:** 0.04030 inches american wire gage single component single secondary **Adjustment Method And Quantity:** 1 adjustable capacitor single component **Terminal Type And Quantity:** 4 tab, solder lug Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5950-00-645-2932

Radio Frequency Transformer - Page 2 of 2



Fiig:

A058b0