NSN 5950-00-645-3209

Radio Frequency Transformer - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5950-00-645-3209 |
|---------------------------------------------------------------|
| Reliability Indicator: |
| Not established |
| Turn Quantity: |
| 78 single component single primary |
| Inductance Rating: |
| 70.00 microhenries single component single secondary |
| Frequency Rating: |
| 1.1 megahertz single component |
| Coil Form Type: |
| Hollow single component |
| Adjustment Device Drive Type: |
| Slotted screw single component |
| Body Length: |
| 2.781 inches |
| Body Outside Diameter: |
| 0.928 inches |
| Distance Between Mounting Facility Centers: |
| 0.969 inches single mounting facility single center group |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 2 single group |
| Mounting Method: |
| Threaded stud single group |
| Rating Method: |
| Electrical single component single secondary |
| Winding Function And Quantity: |
| 1 primary single component and 1 secondary single component |
| Thready Qty Per Inch (tpi): |
| 40 single group |
| Thread Size: |
| 0.112 inches single group |
| Adjustment Method And Quantity: |
| 1 adjustable core single component |
| Thread Series Designator: |
| Unc single group |
| Terminal Type And Quantity: |
| 4 tab, solder lug |
| Shelf Life: |
| N/a |

Unit Of Measure:

NSN 5950-00-645-3209

Radio Frequency Transformer - Page 2 of 2



| em | | | |
|----|--|--|--|
| | | | |
| | | | |

No

Fiig:

A058b0