## NSN 5950-00-645-4606

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-645-4606

Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.875 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.750 inches single mounting facility single center group
Frequency Rating:
60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Body Length:
4.437 inches
Body Width:
4.312 inches
Body Height:
3.625 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
6 single group
Mounting Method:
Flange and unthreaded hole single group
Winding Function And Quantity:
1 primary and 1 secondary single component
Winding Operating Current:
15.0 amperes dc single component single secondary
Winding Operating Voltage:
5.00 ac volts single component single secondary
Special Features:
Case metal material; 2 rows mtg holes; 3 holes ea row spaced 1.375 in. C to c; 0.812 in. O/a h terminals
Terminal Type And Quantity:
5 standoff, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A058b0