# NSN 5950-00-645-4794

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-645-4794

## **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

4.750 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

2.500 inches single mounting facility single center group

## **Overall Height:**

7.203 inches

#### Mounting Hole Diameter:

0.234 inches single group

#### **Frequency Rating:**

50.0 hertz single component or 60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### Winding Shielding Method:

Internal shield grounded to inclosure and core single component

#### **Body Length:**

5.281 inches

### Body Width:

4.578 inches

#### **Body Height:**

5.328 inches

## Maximum Operating Temp:

65.0 degrees celsius

# Inclosure Type:

Fully enclosed

## **Mounting Facility Quantity:**

6 single group

## **Mounting Method:**

Flange single group and unthreaded hole single group

## Winding Function And Quantity:

1 primary single component and 1 secondary single component

#### Winding Operating Current:

10.0 amperes ac single component single secondary

## Winding Operating Voltage:

220.00 ac volts single component single primary and 230.00 ac volts single component single primary and 240.00 ac volts single

component single primary

### **Terminal Type And Quantity:**

3 standoff, threaded stud and 4 threaded stud

### Shelf Life:

N/a

#### Unit Of Measure:

# NSN 5950-00-645-4794

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

