NSN 5950-00-645-5035

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-645-5035

eliability Indicator:
ot established
enter To Center Distance Between Mounting Facilities Parallel To Length
125 inches single mounting facility single center group
enter To Center Distance Between Mounting Facilities Parallel To Width:
625 inches single mounting facility single center group
requency Rating:
0.0 hertz single component or 60.0 hertz single component
put-output Phase Relationship:
ingle phase to single phase single component
/inding Shielding Method:
ternal shield grounded to inclosure single component
ody Length:
.562 inches
ody Width:
.062 inches
ody Height:
.875 inches
nclosure Type:
ermetically sealed
lounting Facility Quantity:
single group
lounting Method:
hreaded stud single group
/inding Function And Quantity:
primary single component and 2 secondary single component
hready Qty Per Inch (tpi):
2 single group
hread Size:
138 inches single group
/inding Operating Current:
0 amperes ac single component all secondary
/inding Operating Voltage:
30 ac volts single component all secondary
hread Series Designator:
nc single group
erminal Type And Quantity:
solder stud
helf Life:
/a
nit Of Measure:

NSN 5950-00-645-5035

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

