NSN 5950-00-645-5444

Vibrator Power Transformer - Page 1 of 1



| view Online at https://aerobasegroup.com/nsn/5950-00-645-5444 |
|---|
| Reliability Indicator: |
| Not established |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 2.688 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 3.312 inches single mounting facility single center group |
| Winding Shielding Method: |
| Internal shield grounded to inclosure single component |
| Body Length: |
| 3.688 inches |
| Body Width: |
| 4.312 inches |
| Body Height: |
| 5.250 inches |
| Inclosure Type: |
| Hermetically sealed |
| Mounting Facility Quantity: |
| 4 single group |
| Mounting Method: |
| Threaded stud single group |
| Winding Function And Quantity: |
| 2 primary single component and 1 secondary single component |
| Winding Operating Current: |
| 4.1 amperes ac single component single secondary |
| Winding Operating Voltage: |
| 6.00 dc volts single component 1st primary |
| Terminal Type And Quantity: |
| 8 standoff insulator |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A058b0 |