## NSN 5950-00-645-5704

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-645-5704

Reliability Indicator:						
Not established						
Turn Quantity:						
2208 single component single winding						
Center To Center Distance Between Mounting Facilities Parallel To Length:						
2.421 inches single mounting facility single center group						
Center To Center Distance Between Mounting Facilities Parallel To Width:						
1.437 inches single mounting facility single center group						
Mounting Hole Diameter:						
0.166 inches single group						
Inductance Type:						
Fixed						
Inductance Rating:						
7.00 henry single component single winding						
Frequency Rating:						
120.0 hertz single component						
Body Length:						
2.812 inches						
Body Width:						
1.828 inches						
Body Height:						
1.750 inches						
Winding Quantity:						
1 single component						
Inclosure Type:						
Open						
Mounting Facility Quantity:						
4 single group						
Mounting Method:						
Flange single group and unthreaded hole single group						
Rating Method:						
Electrical single component single winding and winding turns single component single winding						
Winding Conductor Size:						
0.00445 inches american wire gage single component single winding						
Winding Operating Current:						
45.0 milliamperes dc single component single winding						
Dc Resistance Rating In Ohms:						
430.000 single component single winding						
Special Features:						
Fosterite resin impregnated						

2 tab, solder lug

**Terminal Type And Quantity:** 

## NSN 5950-00-645-5704

Reactor - Page 2 of 2



-					
•	he	1+	18	Δ	•

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0