## NSN 5950-00-645-5877

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-645-5877

| Reliability Indicator:                                                    |
|---------------------------------------------------------------------------|
| Not established                                                           |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.750 inches single mounting facility single center group                 |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 1.688 inches single mounting facility single center group                 |
| Inductance Type:                                                          |
| Fixed                                                                     |
| Inductance Rating:                                                        |
| 50.00 millihenries single component single winding                        |
| Body Length:                                                              |
| 2.438 inches                                                              |
| Body Width:                                                               |
| 2.438 inches                                                              |
| Body Height:                                                              |
| 3.000 inches                                                              |
| Winding Quantity:                                                         |
| 1 single component                                                        |
| Inclosure Type:                                                           |
| Hermetically sealed                                                       |
| Mounting Facility Quantity:                                               |
| 4 single group                                                            |
| Mounting Method:                                                          |
| Threaded stud single group                                                |
| Thready Qty Per Inch (tpi):                                               |
| 32 single group                                                           |
| Thread Size:                                                              |
| 0.138 inches single group                                                 |
| Winding Operating Current:                                                |
| 500.0 milliamperes dc single component single winding                     |
| Dc Resistance Rating In Ohms:                                             |
| 0.900 single component single winding                                     |
| Special Features:                                                         |
| Moisture resistant                                                        |
| Thread Series Designator:                                                 |
| Unc single group                                                          |
| Terminal Type And Quantity:                                               |
| 2 solder stud                                                             |
| Shelf Life:                                                               |
| N/a                                                                       |
| Unit Of Measure:                                                          |

--

## NSN 5950-00-645-5877

Reactor - Page 2 of 2



| em |  |  |  |
|----|--|--|--|
|    |  |  |  |
|    |  |  |  |

No

Fiig:

A058b0