NSN 5950-00-645-6501

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-645-6501
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.250 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
4.750 inches single mounting facility single center group
Mounting Hole Diameter:
0.234 inches single group
Frequency Rating:
50.0 hertz single component or 60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure single component
Body Length:
4.500 inches
Body Width:
4.000 inches
Body Height:
5.125 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
6 single group
Mounting Method:
Flange single group and unthreaded hole single group
Winding Function And Quantity:
2 primary single component and 1 secondary single component
Winding Operating Current:
150.0 milliamperes ac single component single secondary and 150.0 milliamperes ac single component single secondary and 500.0
milliamperes ac single component single secondary
Winding Operating Voltage:
80.00 ac volts single component single secondary and 200.00 ac volts single component single secondary and 280.00 ac volts single
component single secondary
Terminal Type And Quantity:
9 standoff insulator
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Fiig: A058b0

No