NSN 5950-00-645-7584

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-645-7584

Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
4.062 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.312 inches single mounting facility single center group
Frequency Rating:
50.0 hertz single component or 60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure single component
Body Length:
5.062 inches
Body Width:
4.312 inches
Body Height:
5.500 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Slot single group
Winding Function And Quantity:
1 primary single component and 5 secondary single component
Winding Operating Current:
7.0 amperes dc single component 3rd secondary
Winding Power Rating:
44.1 volts-amperes single component 3rd secondary
Winding Operating Voltage:
760.00 dc volts single component 1st secondary
Terminal Type And Quantity:
14 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A058b0