## NSN 5950-00-645-9429

Reactor - Page 1 of 2



| view Online at https://aerobasegroup.com/nsn/5950-00-645-9429                                     |
|---------------------------------------------------------------------------------------------------|
| Reliability Indicator:                                                                            |
| Not established                                                                                   |
| Center To Center Distance Between Mounting Facilities Parallel To Length:                         |
| 3.875 inches single mounting facility single center group                                         |
| Center To Center Distance Between Mounting Facilities Parallel To Width:                          |
| 2.750 inches single mounting facility single center group                                         |
| Overall Height:                                                                                   |
| 7.125 inches                                                                                      |
| Inductance Type:                                                                                  |
| Swinging                                                                                          |
| Inductance Rating:                                                                                |
| 2.20 henry single component single winding and 3.90 henry single component single winding         |
| Frequency Rating:                                                                                 |
| 120.0 hertz single component                                                                      |
| Body Length:                                                                                      |
| 5.000 inches                                                                                      |
| Body Width:                                                                                       |
| 3.750 inches                                                                                      |
| Winding Quantity:                                                                                 |
| 1 single component                                                                                |
| Inclosure Type:                                                                                   |
| Fully enclosed                                                                                    |
| Mounting Facility Quantity:                                                                       |
| 4 single group                                                                                    |
| Mounting Method:                                                                                  |
| Threaded stud single group                                                                        |
| Rating Method:                                                                                    |
| Electrical single component single winding                                                        |
| Thready Qty Per Inch (tpi):                                                                       |
| 20 single group                                                                                   |
| Thread Size:                                                                                      |
| 0.250 inches single group                                                                         |
| Winding Operating Current:                                                                        |
| 1.0 amperes dc single component single winding and 3.0 amperes dc single component single winding |
| Dc Resistance Rating In Ohms:                                                                     |
| 20.000 single component single winding                                                            |
| Thread Series Designator:                                                                         |
| Unc single group                                                                                  |
| Terminal Type And Quantity:                                                                       |
| 2 standoff, threaded stud                                                                         |
| Shelf Life:                                                                                       |

N/a

## NSN 5950-00-645-9429

Reactor - Page 2 of 2



|  | Of |  |  |  |
|--|----|--|--|--|

--

Demilitarization:

No

Fiig:

A058b0