NSN 5950-00-645-9430

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-645-9430

View Online at https://aerobasegroup.com/nsn/5950-00-645-9430
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.625 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.625 inches single mounting facility single center group
Overall Height:
5.000 inches
Inductance Type:
Swinging
Inductance Rating:
10.00 henry single component single winding and 21.00 henry single component single winding
Frequency Rating:
100.0 hertz single component and 120.0 hertz single component
Body Length:
3.500 inches
Body Width:
3.500 inches
Body Height:
4.500 inches
Winding Quantity:
1 single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Rating Method:
Electrical single component single winding
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.190 inches single group
Winding Operating Current:
$4.0 \ milliamperes \ dc \ single \ component \ single \ winding \ and \ 150.0 \ milliamperes \ dc \ single \ component \ single \ winding$
Dc Resistance Rating In Ohms:
100.000 single component single winding
Thread Series Designator:
Unf single group

2 standoff, threaded stud

Terminal Type And Quantity:

NSN 5950-00-645-9430

Reactor - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0