### NSN 5950-00-646-0048



Power Transformer - Page 1 of 2	AG
View Online at https://aerobasegroup.com/nsn/5950-00-646-0048	
Reliability Indicator:	
Not established	
Overall Length:	
6.000 inches	
Center To Center Distance Between Mounting Facilities Parallel To Length:	
5.125 inches single mounting facility single center group	
Center To Center Distance Between Mounting Facilities Parallel To Width:	
3.500 inches single mounting facility single center group	
Overall Height:	
6.125 inches	
Overall Width:	
4.750 inches	
Frequency Rating:	
50.0 hertz single component or 60.0 hertz single component	
Input-output Phase Relationship:	
Single phase to single phase single component	
Winding Shielding Method:	
Internal shield grounded to inclosure and core single component	
Body Height:	
5.375 inches	
Inclosure Type:	
Fully enclosed	
Mounting Facility Quantity:	
4 single group	
Mounting Method:	
Threaded stud single group	
Winding Function And Quantity:	

1 primary single component and 1 secondary single component

#### Thready Qty Per Inch (tpi):

20 single group

#### **Thread Size:**

0.250 inches single group

#### **Winding Operating Current:**

625.0 milliamperes ac single component single secondary

#### **Winding Operating Voltage:**

950.00 ac volts single component single secondary

#### **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

5 standoff, threaded stud

## Shelf Life:

N/a

# NSN 5950-00-646-0048

Power Transformer - Page 2 of 2



		eas	

--

Demilitarization:

No

Fiig:

A058b0