NSN 5950-00-646-0069

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-646-0069

Thread Class (non-core):

2a single group

Thread Direction (non-core):

Right-hand single group

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.440 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.440 inches single mounting facility single center group

Frequency Rating:

50.0 hertz and 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to core single component

Body Length:

4.840 inches

Body Width:

5.340 inches

Body Height:

6.260 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary and 1 secondary single component

Thready Qty Per Inch (tpi):

18 single group

Thread Size:

0.938 inches single group

Winding Operating Current:

375.0 milliamperes ac single component single secondary

Winding Operating Voltage:

875.00 ac volts single component single secondary

Thread Series Designator:

Uns single group

Terminal Type And Quantity:

5 solder stud

NSN 5950-00-646-0069

Power Transformer - Page 2 of 2



_				-		
C	h	Δ	Iŧ.		ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0