# NSN 5950-00-646-0655

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-646-0655

# Reliability Indicator:

Not established

# Center To Center Distance Between Mounting Facilities Parallel To Length:

1.750 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

1.562 inches single mounting facility single center group

#### **Overall Height:**

6.000 inches

#### **Frequency Rating:**

380.0 hertz single component and 1.0 kilohertz single component

### Input-output Phase Relationship:

Single phase to single phase single component

#### Winding Shielding Method:

Internal shield grounded to inclosure single component

#### **Body Length:**

# 2.500 inches

**Body Width:** 

2.312 inches

#### **Body Height:**

3.812 inches

# Maximum Operating Temp:

105.0 degrees celsius

#### Inclosure Type:

Hermetically sealed

#### **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded stud single group

# Winding Function And Quantity:

1 primary single component and 2 secondary single component

#### Thready Qty Per Inch (tpi):

32 single group

#### Thread Size:

0.164 inches single group

#### Winding Operating Current:

3.0 amperes ac single component all secondary

#### Winding Operating Voltage:

2.50 ac volts single component all secondary

#### **Thread Series Designator:**

Unc single group

# **Terminal Type And Quantity:**

2 solder stud and 4 standoff insulator

# NSN 5950-00-646-0655

Power Transformer - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0

