NSN 5950-00-646-1045

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-646-1045

Reliability Indicator:
Not established
Turn Quantity:
2700 single component single winding
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.625 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.625 inches single mounting facility single center group
Overall Height:
5.250 inches
Inductance Type:
Swinging
Inductance Rating:
10.00 henry single component single winding and 30.00 henry single component single winding
Frequency Rating:
120.0 hertz single component
Body Length:
3.500 inches
Body Width:
3.500 inches
Body Height:
4.375 inches
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Rating Method:
Electrical single component single winding
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.190 inches single group
Winding Operating Current:
40.0 milliamperes dc single component single winding and 130.0 milliamperes dc single component single winding
Dc Resistance Rating In Ohms:
100.000 single component single winding
Thread Series Designator:

Unf single group

NSN 5950-00-646-1045

Reactor - Page 2 of 2



Terminal	Type	Δnd	Quantity:	
ı C ı IIIIII aı	ı ype	Allu	Qualitity.	

2 standoff insulator

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0