

View Online at <https://aerobasegroup.com/nsn/5950-00-646-1046>

**Reliability Indicator:**

Not established

**Turn Quantity:**

2260 single component single winding

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.750 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.000 inches single mounting facility single center group

**Overall Height:**

4.000 inches

**Inductance Type:**

Swinging

**Inductance Rating:**

6.00 henry single component single winding and 30.00 henry single component single winding

**Frequency Rating:**

120.0 hertz single component

**Body Length:**

2.500 inches

**Body Width:**

2.750 inches

**Body Height:**

3.500 inches

**Winding Quantity:**

1 single component

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Rating Method:**

Electrical single component single winding

**Thready Qty Per Inch (tpi):**

32 single group

**Thread Size:**

0.164 inches single group

**Winding Operating Current:**

10.0 milliamperes dc single component single winding and 90.0 milliamperes dc single component single winding

**Dc Resistance Rating In Ohms:**

125.000 single component single winding

**Special Features:**

Solder lug ground term

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

2 standoff insulator and 1 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0