# NSN 5950-00-646-1463

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-646-1463

## **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.375 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

1.500 inches single mounting facility single center group

### Mounting Hole Diameter:

0.250 inches single group

#### **Frequency Rating:**

380.0 hertz single component and 1.2 kilohertz single component

#### Input-output Phase Relationship:

Three phase to three phase single component

**Body Length:** 

3.000 inches

**Body Width:** 

# 2.000 inches

#### **Body Height:**

2.875 inches

#### **End Application:**

Aircraft, hornet f/a-18, aircraft, hawkeye e-2c, aircraft, f-16, aircraft, prowler ea-6b, aircraft, sof (ac-130h, mc-130h, ec-130e, hc-130), aircraft, viking s-3b, aircraft, hercules c-130f, aircraft, harrier av-8b, aircraft, hercules c-130, ta-4j aircraft

#### Inclosure Type:

Open

#### **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Flange single group and unthreaded hole single group

#### Winding Function And Quantity:

1 primary single component and 1 secondary single component

#### Winding Operating Current:

1.2 amperes ac single component single secondary

## Criticality Code Justification:

Feat

## Winding Operating Voltage:

26.00 ac pounds per hour wet single component single secondary

## **Special Features:**

Weapon system essential

## **Terminal Type And Quantity:**

7 tab, solder lug

## Shelf Life:

N/a

## Unit Of Measure:

# NSN 5950-00-646-1463

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

