

View Online at <https://aerobasegroup.com/nsn/5950-00-646-1463>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.375 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.500 inches single mounting facility single center group

Mounting Hole Diameter:

0.250 inches single group

Frequency Rating:

380.0 hertz single component and 1.2 kilohertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Body Length:

3.000 inches

Body Width:

2.000 inches

Body Height:

2.875 inches

End Application:

Aircraft, hornet f/a-18, aircraft, hawkkeye e-2c, aircraft, f-16, aircraft, prowler ea-6b, aircraft, sof (ac-130h, mc-130h, ec-130e, hc-130), aircraft, viking s-3b, aircraft, hercules c-130f, aircraft, harrier av-8b, aircraft, hercules c-130, ta-4j aircraft

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

1.2 amperes ac single component single secondary

Criticality Code Justification:

Feat

Winding Operating Voltage:

26.00 ac pounds per hour wet single component single secondary

Special Features:

Weapon system essential

Terminal Type And Quantity:

7 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0