

View Online at <https://aerobasegroup.com/nsn/5950-00-646-1823>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.125 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.156 inches single mounting facility single center group

**Frequency Rating:**

380.0 hertz single component and 420.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to inclosure and secondary center tap single component

**Body Length:**

1.750 inches

**Body Width:**

1.156 inches

**Body Height:**

2.000 inches

**Maximum Operating Temp:**

85.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 5 secondary single component

**Thread Size:**

0.138 inches single group

**Winding Operating Current:**

30.0 milliamperes ac single component 1st secondary

**Winding Power Rating:**

9.45 volts-amperes single component 2nd secondary

**Winding Operating Voltage:**

6.30 ac volts single component 2nd secondary

**Special Features:**

1 primary winding; 5 secondary windings

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

14 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0