## NSN 5950-00-646-2080

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-646-2080

view Offilite at https://aerobasegroup.com/hist//3330-00-040-2000
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.375 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.875 inches single mounting facility single center group
Frequency Rating:
380.0 hertz and 1.76 kilohertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield brought out to terminal single component
Body Length:
1.906 inches
Body Width:
1.875 inches
Body Height:
2.125 inches
Inclosure Type:
Open
Mounting Facility Quantity:
4 single group
Mounting Method:
Flange and slot single group
Winding Function And Quantity:
1 primary and 2 secondary single component
Winding Operating Current:
1.5 amperes ac single component 2nd secondary
Winding Operating Voltage:
6.30 ac volts single component 2nd secondary
Terminal Type And Quantity:
9 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
File:

Fiig:

A058b0