

View Online at <https://aerobasegroup.com/nsn/5950-00-646-2101>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

13.250 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.250 inches single mounting facility single center group

Frequency Rating:

50.0 hertz single component or 60.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-delta

Maximum Transformer Power Rating:

1.0 kilovolt-ampere single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

13.938 inches

Body Width:

10.500 inches

Body Height:

9.625 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

6 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.312 inches single group

Winding Operating Current:

195.0 milliamperes ac single component single secondary

Winding Operating Voltage:

9400.00 ac volts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

6 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0