

View Online at <https://aerobasegroup.com/nsn/5950-00-646-2576>

Reliability Indicator:

Not established

Overall Length:

5.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.062 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.950 inches single mounting facility single center group and 3.046 inches single mounting facility single center group

Overall Height:

3.687 inches

Overall Width:

3.875 inches

Frequency Rating:

380.0 hertz single component and 1.6 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to core single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

95.0 milliamperes ac single component 2nd secondary

Winding Power Rating:

327.6 volts-amperes single component 1st secondary

Winding Operating Voltage:

115.00 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

14 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0