## NSN 5950-00-646-2668

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-646-2668

## **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.125 inches single mounting facility single center group

## **Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.156 inches single mounting facility single center group

#### **Inductance Type:**

Fixed

#### **Inductance Rating:**

500.00 millihenries single component single winding

#### Frequency Rating:

400.0 hertz single component

#### **Body Length:**

1.750 inches

#### **Body Width:**

1.656 inches

#### **Body Height:**

2.000 inches

## **Maximum Operating Temp:**

180.0 degrees celsius

## **Winding Quantity:**

1 single component

## Inclosure Type:

Open

## **Mounting Facility Quantity:**

4 single group

## **Mounting Method:**

Threaded hole single group

## Rating Method:

Electrical single component single winding

## Thready Qty Per Inch (tpi):

32 single group

## **Thread Size:**

0.138 inches single group

## **Winding Conductor Size:**

0.00893 inches american wire gage single component single winding

## **Winding Operating Current:**

200.0 milliamperes dc single component single winding

## Dc Resistance Rating In Ohms:

84.200 single component single winding

## **Thread Series Designator:**

Unc single group

# NSN 5950-00-646-2668

Reactor - Page 2 of 2



i ei ii ii iai Tybe And Quantity.	Tε	rminal	Type	And	Quantity:	
-----------------------------------	----	--------	------	-----	-----------	--

2 tab, solder lug

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0