## NSN 5950-00-646-3614

Audio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-646-3614

The Chime at https://doi.org/100/100/10000000000000000000000000000
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.030 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.030 inches single mounting facility single center group
Transformer Function:
Line
Impedance Rating In Ohms:
500.0 single component single primary and 1000.0 single component single primary and 5000.0 single component single primary
Frequency Rating:
300.0 hertz single component and 4.0 kilohertz single component

**Primary To Secondary Turn Ratio:** 

1 to 5 single component

**Mounting Facility Quantity:** 

Threaded hole single group

Thready Qty Per Inch (tpi):

0.138 inches single groupWinding Operating Current:

**Thread Series Designator:** 

**Terminal Type And Quantity:** 

**Winding Function And Quantity:** 

1 primary single component and 1 secondary single component

60.0 milliamperes dc single component single secondary

Body Length:
1.600 inches
Body Width:
1.620 inches
Body Height:
2.560 inches
Inclosure Type:
Hermetically sealed

4 single group

32 single group

Thread Size:

Unc single group

6 tab, solder lug Shelf Life:

**Unit Of Measure:** 

N/a

**Mounting Method:** 

## NSN 5950-00-646-3614

Audio Frequency Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0