NSN 5950-00-646-3827

Saturable Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-646-3827

Reliability Indicator: Not established **Overall Length:** 6.650 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 6.094 inches and 6.124 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 0.735 inches and 0.765 inches single mounting facility single center group **Overall Height:** 2.937 inches **Overall Width:** 1.900 inches Frequency Rating: 380.0 hertz and 420.0 hertz single component **Maximum Operating Temp:** 105.0 degrees celsius **Inclosure Type:** Fully enclosed **Mounting Facility Quantity:** 4 single group **Mounting Method:** Threaded hole single group Winding Function And Quantity: 1 control and 3 primary and 5 secondary single component **Saturation Current Rating:** 300.0 milliamperes **Thread Size:** 0.112 inches single group Dc Resistance Rating In Ohms: 6.600 single component 2nd primary **Winding Power Rating:** 189.0 volts-amperes single component single secondary **Winding Operating Voltage:** 5.80 ac volts single component 1st secondary **Special Features:** 3 primary windings; 5 secondary windings; 1 control winding **Thread Series Designator:** Unc single group **Terminal Type And Quantity:** 24 wire loop Shelf Life:

N/a

NSN 5950-00-646-3827

Saturable Reactor - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A058b0