NSN 5950-00-646-5150

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-646-5150

Deliebility indicators
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
5.500 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.875 inches single mounting facility single center group
Frequency Rating:
60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure single component
Body Length:
7.000 inches
Body Width:
5.250 inches
Body Height:
7.875 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 2 secondary single component
Winding Operating Current:
200.0 milliamperes dc single component 2nd secondary
Winding Operating Voltage:
2.02 ac kilovolts single component 2nd secondary
Special Features:
Case metal material
Terminal Type And Quantity:
8 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A058b0