NSN 5950-00-647-3584

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-647-3584

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.485 inches single mounting facility single center group and 2.515 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.047 inches single mounting facility single center group and 2.077 inches single mounting facility single center group

Inductance Type:

Fixed

Inductance Rating:

1.00 henry single component single winding

Frequency Rating:

1.4 kilohertz single component

Body Length:

Between 3.297 inches and 3.327 inches

Body Width:

Between 2.797 inches and 2.827 inches

Body Height:

Between 2.485 inches and 2.515 inches

Maximum Operating Temp:

170.0 degrees celsius

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Rating Method:

Electrical single component single winding

Thread Size:

0.190 inches single group

Winding Operating Current:

600.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

29.000 single component single winding

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

2 turret

Shelf Life:

N/a

NSN 5950-00-647-3584

Reactor - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

Yes - demil/mli

Fiig:

A058b0