NSN 5950-00-647-5040

Power Transformer - Page 1 of 1

No Fiig: A058b0



| View Online at https://aerobasegroup.com/nsn/5950-00-647-5040 |
|---|
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.859 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 2.594 inches single mounting facility single center group |
| Frequency Rating: |
| 60.0 hertz single component |
| Input-output Phase Relationship: |
| Single phase to single phase single component |
| Winding Shielding Method: |
| Internal shield grounded to inclosure single component |
| Body Length: |
| 3.062 inches |
| Body Width: |
| 2.625 inches |
| Body Height: |
| 4.250 inches |
| Inclosure Type: |
| Hermetically sealed |
| Mounting Facility Quantity: |
| 4 single group |
| Mounting Method: |
| Threaded stud single group |
| Winding Function And Quantity: |
| 1 primary single component and 3 secondary single component |
| Winding Operating Current: |
| 70.0 milliamperes ac single component 1st secondary |
| Winding Operating Voltage: |
| 770.00 ac volts single component 1st secondary |
| Terminal Type And Quantity: |
| 9 tab, solder lug |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |