# NSN 5950-00-647-5434

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-647-5434

# **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.750 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

4.250 inches single mounting facility single center group

#### **Overall Height:**

5.125 inches

#### **Frequency Rating:**

60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Winding Shielding Method:**

Internal shield grounded to inclosure single component

#### **Body Length:**

4.000 inches

#### **Body Width:**

3.375 inches

# **Body Height:**

4.750 inches

# Inclosure Type:

Partially enclosed, double shell

#### **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded hole single group

# **Winding Function And Quantity:**

1 primary single component and 3 secondary single component

#### Thready Qty Per Inch (tpi):

24 single group

#### **Thread Size:**

0.190 inches single group

# **Winding Operating Current:**

600.0 milliamperes ac single component 2nd secondary

# **Winding Operating Voltage:**

6.30 ac volts single component 2nd secondary

# **Thread Series Designator:**

Unc single group

# **Terminal Type And Quantity:**

2 standoff insulator and 7 threaded stud

# Shelf Life:

N/a

# **NSN 5950-00-647-5434**Power Transformer - Page 2 of 2



|  | Of |  |  |  |
|--|----|--|--|--|

Demilitarization:

No

Fiig:

A058b0