

View Online at <https://aerobasegroup.com/nsn/5950-00-647-5659>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.359 inches single mounting facility single center group and 4.391 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.234 inches single mounting facility single center group and 3.266 inches single mounting facility single center group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

Between 4.859 inches and 4.891 inches

Body Width:

4.375 inches

Body Height:

Between 7.672 inches and 7.704 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Thread Size:

0.250 inches single group

Winding Operating Current:

27.0 amperes ac single component all secondary

Winding Power Rating:

67.5 volts-amperes single component all secondary

Winding Operating Voltage:

6.30 ac volts single component single primary and 109.50 ac volts single component single primary and 115.00 ac volts single component single primary and 120.40 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

1 terminal block w/screws

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0