

View Online at <https://aerobasegroup.com/nsn/5950-00-647-6089>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.125 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.750 inches single mounting facility single center group

Mounting Hole Diameter:

0.188 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to core single component

Body Length:

5.312 inches

Body Width:

4.438 inches

Body Height:

4.759 inches

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 5 secondary single component

Winding Operating Current:

2.5 amperes ac single component single primary

Winding Power Rating:

285.0 volts-amperes single component all secondary

Winding Operating Voltage:

6.40 ac volts single component 4th secondary

Special Features:

1 primary, 5 secondaries

Terminal Type And Quantity:

14 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0