# NSN 5950-00-647-6763

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-647-6763

# **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

6.000 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

5.312 inches single mounting facility single center group

#### **Overall Height:**

9.781 inches

# **Overall Width:**

8.593 inches

#### Frequency Rating:

400.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Winding Shielding Method:**

Internal shield grounded to inclosure single component

#### **Body Length:**

Between 7.719 inches and 7.844 inches

## **Body Width:**

Between 7.094 inches and 7.219 inches

# **Body Height:**

Between 9.000 inches and 9.125 inches

#### **Inclosure Type:**

Hermetically sealed

# **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded stud single group

# Winding Function And Quantity:

1 primary single component and 1 secondary single component

# Thready Qty Per Inch (tpi):

18 single group

# Thread Size:

0.312 inches single group

## **Winding Operating Current:**

330.0 milliamperes ac single component single secondary

# **Thread Series Designator:**

Unc single group

## **Terminal Type And Quantity:**

1 standoff insulator and 6 standoff, threaded stud

# Shelf Life:

N/a

# **NSN 5950-00-647-6763**Power Transformer - Page 2 of 2



			ıre:

Demilitarization:

No

Fiig:

A058b0