

View Online at <https://aerobasegroup.com/nsn/5950-00-647-6983>

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.438 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.938 inches single mounting facility single center group

**Impedance Rating In Ohms:**

50.0 single component single secondary and 125.0 single component single secondary and 150.0 single component single secondary and 200.0 single component single secondary and 250.0 single component single secondary and 333.0 single component single secondary and 500.0 single component single secondary and 600.0 single component single secondary

**Frequency Rating:**

20.0 hertz single component and 20.0 kilohertz single component

**Maximum Transformer Power Rating:**

17.0 decibels single component

**Primary To Secondary Turn Ratio:**

1 to 1 single component

**Body Length:**

3.250 inches

**Body Width:**

3.125 inches

**Body Height:**

2.625 inches

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thready Qty Per Inch (tpi):**

32 single group

**Thread Size:**

0.138 inches single group

**Winding Operating Current:**

500.0 milliamperes dc single component single primary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

13 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0