## NSN 5950-00-647-7101

Reactor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-647-7101

| Reliability Indicator:   |
|--|
| Not established  |
| Center To Center Distance Between Mounting Facilities Parallel To Length:                        |
| 3.375 inches single mounting facility single center group  |
| Center To Center Distance Between Mounting Facilities Parallel To Width:                         |
| 3.375 inches single mounting facility single center group  |
| Mounting Hole Diameter:  |
| 0.189 inches single group  |
| Inductance Type:   |
| Fixed  |
| Inductance Rating:   |
| 3.80 millihenries single component single winding and 8.00 henry single component single winding |
| Body Length:   |
| 4.000 inches   |
| Body Width:  |
| 4.000 inches   |
| Body Height:   |
| 4.500 inches   |
| Winding Quantity:  |
| 1 single component   |
| Inclosure Type:  |
| Hermetically sealed  |
| Mounting Facility Quantity:  |
| 4 single group   |
| Mounting Method:   |
| Flange single group and unthreaded hole single group   |
| Rating Method:   |
| Electrical single component single winding   |
| Winding Operating Current:   |
| 120.0 milliamperes dc single component single winding  |
| Dc Resistance Rating In Ohms:  |
| 110.000 single component single winding  |
| Terminal Type And Quantity:  |
| 3 standoff, solder lug   |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
| <del></del>  |
| Demilitarization:  |
| No   |
| Fiia:  |

A058b0