# NSN 5950-00-647-7405

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-647-7405

## **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.125 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

2.000 inches single mounting facility single center group

### **Overall Height:**

4.593 inches

#### **Frequency Rating:**

50.0 hertz single component or 60.0 hertz single component

## Input-output Phase Relationship:

Single phase to single phase single component

### Winding Shielding Method:

Internal shield grounded to inclosure and core and brought out to terminal single component

### **Body Length:**

## 2.875 inches

**Body Width:** 

2.750 inches

### **Body Height:**

3.812 inches

### Inclosure Type:

Hermetically sealed

### Mounting Facility Quantity:

4 single group

### **Mounting Method:**

Threaded stud single group

### Winding Function And Quantity:

1 primary single component and 4 secondary single component

### Thready Qty Per Inch (tpi):

32 single group

### Thread Size:

0.190 inches single group

### Winding Operating Current:

750.0 milliamperes ac single component 3rd secondary

### Winding Operating Voltage:

6.30 ac volts single component 3rd secondary

### **Thread Series Designator:**

Unf single group

### **Terminal Type And Quantity:**

1 tab, solder lug and 10 standoff, solder lug

### Shelf Life:

N/a

# NSN 5950-00-647-7405

Power Transformer - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

