

View Online at <https://aerobasegroup.com/nsn/5950-00-647-7857>

Reliability Indicator:

Not established

Turn Quantity:

1030 single component single secondary

Transformer Function:

Output

Frequency Rating:

75.0 kilohertz single component

Coil Form Type:

Hollow single component

Adjustment Device Drive Type:

Slotted screw single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

1.438 inches

Body Width:

1.438 inches

Body Height:

3.500 inches

Distance Between Mounting Facility Centers:

1.375 inches single mounting facility single center group

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Threaded stud single group

Rating Method:

Winding turns single component single secondary

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

40 single group

Thread Size:

0.112 inches single group

Winding Conductor Size:

0.00397 inches american wire gage single component single secondary

Adjustment Method And Quantity:

2 adjustable core single component

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

4 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0