## NSN 5950-00-647-8648

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-647-8648

Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.125 inches single mounting facility single center group
Overall Height:
5.250 inches
Overall Width:
3.625 inches
Frequency Rating:
57.0 hertz single component and 63.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to core single component
Body Length:
3.688 inches
Inclosure Type:
Open
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 3 secondary single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.190 inches single group
Winding Operating Current:
25.0 milliamperes ac single component 2nd secondary
Winding Operating Voltage:
4.00 ac kilovolts single component 3rd secondary
Thread Series Designator:
Unf single group
Terminal Type And Quantity:
8 wire lead
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5950-00-647-8648

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0