

View Online at <https://aerobasegroup.com/nsn/5950-00-647-9189>

Reliability Indicator:

Not established

Turn Quantity:

420 single component single secondary

Inductance Rating:

2.17 millihenries single component single secondary

Frequency Rating:

90.0 kilohertz single component and 100.0 kilohertz single component

Coil Form Type:

Hollow single component

Adjustment Device Drive Type:

Slotted screw single component

Body Length:

2.219 inches

Body Outside Diameter:

0.938 inches

Distance Between Mounting Facility Centers:

0.938 inches single mounting facility single center group

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Threaded stud single group

Rating Method:

Winding turns single component single primary and electrical single component single primary

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

40 single group

Thread Size:

0.112 inches single group

Winding Conductor Size:

0.00397 inches american wire gage single component single primary

Adjustment Method And Quantity:

1 adjustable core single component

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

4 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0