## NSN 5950-00-647-9385

Reactor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-647-9385

| Reliability Indicator:  |
|---|
| Not established   |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 2.750 inches single mounting facility single center group                 |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 2.750 inches single mounting facility single center group                 |
| Mounting Hole Diameter:   |
| 0.180 inches single group   |
| Inductance Type:  |
| Fixed   |
| Body Length:  |
| 4.000 inches  |
| Body Width:   |
| 3.250 inches  |
| Body Height:  |
| 3.250 inches  |
| Winding Quantity:   |
| 2 single component  |
| Inclosure Type:   |
| Fully enclosed  |
| Mounting Facility Quantity:   |
| 4 single group  |
| Mounting Method:  |
| Flange single group and unthreaded hole single group                      |
| Winding Operating Current:  |
| 50.0 milliamperes dc single component 1st winding                         |
| Dc Resistance Rating In Ohms:   |
| 350.000 single component 2nd winding                                      |
| Special Features:   |
| 1 kv rms test voltage, case metal material                                |
| Terminal Type And Quantity:   |
| 2 tab, solder lug   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |
| A058b0  |