NSN 5950-00-647-9390

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-647-9390

Reliability Indicator:
Not established
Turn Quantity:
4300 single component single winding
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.125 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.750 inches single mounting facility single center group
Inductance Type:
Fixed
Inductance Rating:
15.00 henry single component single winding
Frequency Rating:
120.0 hertz single component
Body Length:
2.125 inches
Body Width:
1.969 inches
Body Height:
1.438 inches
Winding Quantity:
1 single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Rating Method:
Electrical single component single winding and winding turns single component single winding
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.138 inches single group
Winding Conductor Size:
0.00795 inches american wire gage single component single winding
Winding Operating Current:
70.0 milliamperes dc single component single winding
Dc Resistance Rating In Ohms:

Thread Series Designator:

400.000 single component single winding

Unc single group

NSN 5950-00-647-9390

Reactor - Page 2 of 2



Termina	I Type	And C	Quantity:
ı Cı illili	IIVDE	Allu V	zuannıv.

2 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0