NSN 5950-00-648-4352

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-648-4352 **Reliability Indicator:** Not established **Overall Length:** 2.781 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 2.125 inches single mounting facility single center group **Center To Center Distance Between Mounting Facilities Parallel To Width:** 1.812 inches single mounting facility single center group **Overall Height:** 3.750 inches Frequency Rating: 60.0 hertz single component Input-output Phase Relationship: Single phase to single phase single component **Winding Shielding Method:** Internal shield brought out to terminal single component **Body Width:** 2.375 inches **Inclosure Type:** Hermetically sealed **Mounting Facility Quantity:** 4 single group **Mounting Method:** Threaded stud single group **Winding Function And Quantity:** 1 primary single component and 1 secondary single component **Thread Size:** 0.164 inches single group **Winding Operating Current:** 16.6 microamperes ac single component single secondary **Winding Operating Voltage:** 5.00 ac volts single component single primary **Thread Series Designator:** Unc single group **Terminal Type And Quantity:** 6 standoff, solder lug Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 5950-00-648-4352

Power Transformer - Page 2 of 2



Fiig:

A058b0