NSN 5950-00-648-4418

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-648-4418

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Fungus resistant

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.953 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.500 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

140.0 milliwatts single component

Body Length:

1.270 inches

Body Width:

1.030 inches

Body Height:

0.910 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

40 single group

Thread Size:

0.112 inches single group

Winding Operating Current:

75.0 milliamperes ac single component single secondary

Winding Operating Voltage:

5.00 ac volts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

5 wire hook

Shelf Life:

N/a

NSN 5950-00-648-4418Power Transformer - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

Demilitarization:

No

Fiig:

A058b0